

---

# **PILKit Documentation**

*Release 2.0*

**Matthew Tretter**

**Aug 05, 2017**



---

# Contents

---

<b>1</b>	<b>Installation</b>	<b>3</b>
<b>2</b>	<b>Usage Overview</b>	<b>5</b>
2.1	Processors . . . . .	5
2.2	Utilities . . . . .	6
<b>3</b>	<b>Community</b>	<b>7</b>
<b>4</b>	<b>Authors</b>	<b>9</b>
4.1	Maintainers . . . . .	9
4.2	Contributors . . . . .	9
<b>5</b>	<b>Contents</b>	<b>11</b>



PILKit is a collection of utilities for working with PIL (the Python Imaging Library).

One of its main features is a set of **processors** which expose a simple interface for performing manipulations on PIL images.

Looking for more advanced processors? Check out [Instakit!](#)

**For the complete documentation on the latest stable version of PILKit, see [PILKit on RTD](#).**



# CHAPTER 1

---

## Installation

---

1. Install PIL or Pillow.
2. Run `pip install pilkit` (or clone the source and put the pilkit module on your path)

---

**Note:** If you've never seen Pillow before, it considers itself a more-frequently updated “friendly” fork of PIL that's compatible with setuptools. As such, it shares the same namespace as PIL does and is a drop-in replacement.

---



### Processors

The “pilkit.processors” module contains several classes for processing PIL images, which provide an easy to understand API:

```
from pilkit.processors import ResizeToFit

img = Image.open('/path/to/my/image.png')
processor = ResizeToFit(100, 100)
new_img = processor.process(img)
```

A few of the included processors are:

- ResizeToFit
- ResizeToFill
- SmartResize
- Adjust
- TrimBorderColor
- Transpose

There’s also a ProcessorPipeline class for executing processors sequentially:

```
from pilkit.processors import ProcessorPipeline, ResizeToFit, Adjust

img = Image.open('/path/to/my/image.png')
processor = ProcessorPipeline([Adjust(color=0), ResizeToFit(100, 100)])
new_image = processor.process(img)
```

## Utilities

In addition to the processors, PILKit contains a few utilities to ease the pain of working with PIL. Some examples:

**prepare\_image** Prepares the image for saving to the provided format by doing some common-sense conversions, including preserving transparency and quantizing.

**save\_image** Wraps PIL's `Image.save()` method in order to gracefully handle PIL's "Suspension not allowed here" errors, and (optionally) prepares the image using `prepare_image`

Utilities are also included for converting between formats, extensions, and mimetypes.

## CHAPTER 3

---

### Community

---

Please use [the GitHub issue tracker](#) to report bugs. A [mailing list](#) also exists to discuss the project and ask questions, as well as the official [#imagekit](#) channel on Freenode. (Both of these are shared with the [django-imagekit](#) project—from which PILKit spun off.)



### Maintainers

- Bryan Veloso
- Matthew Tretter
- Chris Drackett
- Greg Newman
- Venelin Stoykov

### Contributors

In addition to those listed on the [contributors page](#), the following people have also had a hand in bringing PILKit to life:

- Justin Driscoll
- Timothée Peignier
- Jan Sagemüller
- Alexander Bohn
- Eric Eldredge
- Germán M. Bravo
- Kevin Postal
- Madis Väin



## CHAPTER 5

---

### Contents

---

- genindex
- modindex
- search